



A 6x4 grid of colored squares. The top row is yellow, the second row is light yellow, the third row is light orange, the fourth row is orange, the fifth row is dark orange, and the bottom row is red. The text "SPOT DOWNLIGHT" is centered in the third row.

SPOT DOWNLIGHT




LUNA-RA MR11 **300.-**

DIA 50 mm. H 45 mm.



 LED Module MR11
 Matt white trim

IP 20


 Adjustable
Matt white reflector

LUNA-RE **300.-**

DIA 50 mm. H 45 mm.

 LED Module MR11
 Matt black trim

IP 20

 Adjustable
Matt black reflector





DOWNLIGHT




BENN-RA MR11

300.-

DIA 65 mm. H 45 mm.

 LED Module MR11
 Matt white trim

IP 20



 Adjustable
Matt white reflector




BENN-SA

300.-

DIA 65x65 mm. H 45 mm.

 LED Module MR11
 Matt white trim

IP 20

 Adjustable
Matt white reflector




DOWNLIGHT




JUNI-WH MR11

300.-

DIA 65 mm. H 35 mm.

 LED Module MR11
Matt white trim

IP 20


 Fixed
Matt black reflector




JUNI-BK MR11


300.-

DIA 65 mm. H 35 mm.

 LED Module MR11
Matt black trim

IP 20

 Fixed
Matt black reflector





DOWNLIGHT




ALIS-RW MR11

350.-

DIA 65 mm. H 28 mm.

 LED Module MR11
 Matt white trim



IP 20

 Adjustable
Matt black reflector


ALIS-RB MR11


350.-

DIA 65 mm. H 28 mm.

 LED Module MR11
 Matt black trim

IP 20

 Adjustable
Matt black reflector





DOWNLIGHT




ALIS-SW1 MR11

350.-

DIA 65x65 mm. H 45 mm.

 LED Module MR11
 Matt white trim

IP 20



 Adjustable
Matt black reflector

NEW


ALIS-SW2 MR11

500.-

DIA 65x121 mm. H 45 mm.

 LED Module MR11
 Matt white trim

IP 20

 Adjustable
Matt black reflector



NEW



DOWNLIGHT




ALIS-SB1 MR11

350.-

DIA 65x65 mm. H 45 mm.

 LED Module MR11
 Matt black trim

IP 20



 Adjustable
Matt black reflector




ALIS-SB2 MR11

500.-

DIA 65x121 mm. H 45 mm.


 LED Module MR11
 Matt black trim

IP 20

 Adjustable
Matt black reflector



DOWNLIGHT



EZY-RA

390.-

DIA 80 mm. H 50 mm.

MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
- Matt white reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass

EZY-RB


390.-

DIA 80 mm. H 50 mm.

MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
- Matt silver reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass



EZY-RC


390.-

DIA 80 mm. H 50 mm.

MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
- Shiny reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass







EZY-RD


390.-

DIA 80 mm. H 50 mm.

 MR16x1/ GU10/ LED Module
 Matt white trim

IP 20



- Adjustable
- Matt black reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass



EZY-RE


390.-

DIA 80 mm. H 50 mm.

 MR16x1/ GU10/ LED Module
 Matt black trim

IP 20

- Adjustable
- Matt black reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass



DOWNLIGHT



EZY-SA

390.-

DIA 82x82 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Fixed
Matt white reflector
Accessories : Honeycomb, Frosted glass
Clear glass

EZY-SB

390.-

DIA 82x82 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20





Fixed
Matt silver reflector
Accessories : Honeycomb, Frosted glass
Clear glass



EZY-SC

390.-

DIA 82x82 mm. H 50 mm.

 MR16x1/ GU10/ LED Module
 Matt white trim

IP 20





- Fixed
- Shiny reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass

EZY-SD

390.-


DIA 82x82 mm. H 50 mm.

 MR16x1/ GU10/ LED Module
 Matt white trim

IP 20

- Fixed
- Matt black reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass





110

ECON-A

350.-

DIA 110 mm. H 50 mm.

MR16x1/ GU10/ LED Module
Matt white trim

IP 20

Fixed
Matt white reflector
Accessories : Honeycomb, Frosted glass
Clear glass

50

ECON-B


350.-

DIA 110 mm. H 50 mm.

MR16x1/ GU10/ LED Module
Matt white trim

IP 20

Fixed
Matt silver reflector
Accessories : Honeycomb, Frosted glass
Clear glass



110



50

ECON-C

350.-


DIA 110 mm. H 50 mm.

MR16x1/ GU10/ LED Module
Matt white trim

IP 20

Fixed
Shiny reflector
Accessories : Honeycomb, Frosted glass
Clear glass

50



110



CETRA-R

350.-

DIA 93 mm. H 41 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20



Adjustable

Accessories : Honeycomb, Frosted glass
Clear glass

CETRA-S

350.-

DIA 90x90 mm. H 41 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20



Adjustable

Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



PELE-R

500.-

DIA 85 mm. H 30 mm.

MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20

Fully adjustable

PELE-S1

1000.-

DIA 85x85 mm. H 30 mm.

MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20

Fully adjustable



PELE-S2

1000.-

DIA 85x85 mm. H 30 mm.

MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20

Fully adjustable



DOWNLIGHT

DOWNLIGHT



ATOM-RWW

450.-

DIA 102 mm. H 30 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass

ATOM-SWW

450.-

DIA 102x102 mm. H 30 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass





ATOM-RWB

450.-

DIA 102 mm. H 30 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass

ATOM-SWB

450.-

DIA 102x102 mm. H 30 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass







MOBI-R

450.-

DIA 90 mm. H 60 mm.

 MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 20

-  Adjustable
- Accessories : Honeycomb, Frosted glass
- Clear glass


MOBI-S1

450.-

DIA 90x90 mm. H 60 mm.

 MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 20

-  Adjustable
- Accessories : Honeycomb, Frosted glass
- Clear glass





MOBI-S2

900.-

DIA 90x172 mm. H 60 mm.



MR16x2/ GU10/ LED Module
Sand white/ Sand black trim

IP 20



Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass

ELLIP-R2

900.-

DIA 91.5x172.5 mm. H 53 mm.



MR16x2/ GU10/ LED Module
Sand white/ Sand black trim

IP 20



Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass





ROTA-R

350.-

DIA 95 mm. H 35 mm.

MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20

Adjustable
Accessories : Honeycomb, Hood

ROTA-S1

400.-

DIA 112x112 mm. H 38 mm.

MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20

Adjustable
Accessories : Honeycomb, Hood



ROTA-S2

700.-

DIA 112x210 mm. H 38 mm.

MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 20

Adjustable
Accessories : Honeycomb, Hood



RIT-A

400.-

DIA 100 mm. H 56.5 mm.

MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 20

- Fully adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass

RIT-B

400.-

DIA 92x92 mm. H 56.5 mm.

MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 20

- Fully adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass



RIT-2B

800.-

DIA 92x185 mm. H 56.5 mm.

MR16x2/ GU10/ LED Module
Sand white/ Sand black trim

IP 20

- Fully adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



CIVIK-1

500.-

DIA 105x105 mm. H 55 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Accessories : Honeycomb, Hood

CIVIK-2

750.-

DIA 105x185 mm. H 55 mm.




MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Accessories : Honeycomb, Hood





HYBRID-RM

600.-


DIA 95 mm. H 108 mm.



MR16x1/ GU10
Sand white trim

IP 20

- Fully adjustable
Black reflector (anti glare)
Accessories : Honeycomb, Frosted glass
Clear glass



HYBRID-SM

600.-


DIA 95x95 mm. H 108 mm.



MR16x1/ GU10
Sand white trim

IP 20

- Fully adjustable
Black reflector (anti glare)
Accessories : Honeycomb, Frosted glass
Clear glass





DOWNLIGHT




HYBRID-RS

400.-

DIA 78 mm. H 75 mm.

 MR16x1/ GU10
 Sand white trim



IP 20

-  Fully adjustable
Black reflector (anti glare)
Accessories : Honeycomb, Frosted glass
Clear glass


HYBRID-SS

400.-

DIA 63 mm. H 31 mm.

 MR16x1/ GU10
 Sand white trim

IP 20

-  Adjustable
Black reflector (anti glare)
Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



JANEN-A

500.-

DIA 85 mm. H 64 mm.




MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Matt white reflector

Accessories : Honeycomb, Frosted glass
Clear glass



JANEN-B

500.-

DIA 85 mm. H 64 mm.




MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Black mirror reflector

Accessories : Honeycomb, Frosted glass
Clear glass





JANEN-C

500.-

DIA 85 mm. H 64 mm.




MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Mirror reflector

Accessories : Honeycomb, Frosted glass
Clear glass



JANEN-D

500.-

DIA 85 mm. H 64 mm.




MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Matt black reflector
Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



NURA-A

1200.-

DIA 104×194 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Matt white reflector

Accessories : Honeycomb, Frosted glass
Clear glass



NURA-B

1200.-

DIA 104×194 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Matt black reflector
Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



NURA-C

1200.-

DIA 104×194 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustable
Mirror reflector
Accessories : Honeycomb, Frosted glass
Clear glass



NURA-D

1200.-

DIA 104×194 mm. H 72 mm.



MR16x1/ GU10/ LED Module
Matt white trim

IP 20



Adjustabler
Accessories : Honeycomb, Frosted glass
Clear glass








NAMI-A


900.-

DIA 84 mm. H 118 mm.

 MR16x1
 Sand white trim

IP 20



 Adjustable
Matt silver reflector




NAMI-B


900.-

DIA 84 mm. H 117 mm.

 MR16x1
 Sand white trim

IP 20

 Fixed
Matt silver reflector





CALI-S1

800.-

DIA 105x105 mm. H 80 mm.

MR16x1/ GU10
Sand white/ Sand black trim

IP 20

- Fully adjustable
Accessories : Honeycomb, Frosted glass
Clear glass



CALI-S2

1500.-

DIA 105x205 mm. H 80 mm.

MR16x1/ GU10
Sand white/ Sand black trim

IP 20

- Adjustable
Accessories : Honeycomb, Frosted glass
Clear glass





DOWNLIGHT




MANA-S1A

500.-

DIA 89×89 mm. H 72 mm.

 MR16x1/ GU10/ LED Module
 Matt white trim



IP 20

-  Adjustable
- Matt white reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass


HYBRID-RM

500.-

DIA 89×89 mm. H 72 mm.

 MR16x1/ GU10/ LED Module
 Matt white trim

IP 20



-  Adjustable
- Matt black reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass




HYBRID-SM

500.-

DIA 89×89 mm. H 72 mm.

 MR16x1/ GU10/ LED Module
 Matt white trim

IP 20

-  Adjustable
- Mirror reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass



DOWNLIGHT

DOWNLIGHT



MANA-S2A

1000.-

DIA 89×164 mm. H 72 mm.

MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
Matt white reflector
Accessories : Honeycomb, Frosted glass
Clear glass

MANA-S2B

1000.-

DIA 89×164 mm. H 72 mm.

MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
Matt black reflector
Accessories : Honeycomb, Frosted glass
Clear glass



MANA-S2C

1000.-

DIA 89×164 mm. H 72 mm.

MR16x1/ GU10/ LED Module
Matt white trim

IP 20

- Adjustable
Mirror reflector
Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT

DOWNLIGHT

SELENA-A


950.-

DIA 115 mm. H 143 mm.

MR16x1
Sand white trim

IP 20

Adjustable
Shiny reflector



SELENA-B


950.-

DIA 115 mm. H 130 mm.

MR16x1
Sand white trim

IP 20

Fixed
Shiny reflector







PLAST-R

300.-

DIA 80 mm. H 42 mm.

 MR16x1/ GU10/ LED Module
Sand white trim


IP 20

-  Fixed
- Accessories : Honeycomb, Frosted glass
Clear glass


PLAST-S1

300.-

DIA 76x76 mm. H 42 mm.

 MR16x1/ GU10/ LED Module
Sand white trim

IP 20


-  Fixed
- Accessories : Honeycomb, Frosted glass
Clear glass




PLAST-S2

600.-

DIA 76x159 mm. H 42 mm.

 MR16x2/ GU10/ LED Module
Sand white trim

IP 20

-  Fixed
- Accessories : Honeycomb, Frosted glass
Clear glass

DOWNLIGHT



PINN-A

390.-

DIA 90 mm. H 55 mm.

MR16x1/ GU10/ LED Module
Matt white trim

IP 20

Adjustable
Accessories : Honeycomb

PINN-B

390.-

DIA 90 mm. H 55 mm.

MR16x1/ GU10/ LED Module
Matt white trim

IP 20

Fixed
Accessories : Honeycomb



DOWNLIGHT

NOVA-A


600.-

DIA 90 mm. H 73 mm.

MR16x1/ GU10
Sand white trim

IP 20

- Adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass



NOVA-B


600.-

DIA 90 mm. H 73 mm.

MR16x1/ GU10
Sand white trim

IP 20

- Fixed
- Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT



HYDRA-R


600.-

DIA 90 mm. H 100 mm.

MR16x1
Sand white trim

IP 44

Fixed
Frosted glass cover



HYDRA-S


600.-

DIA 90x90 mm. H 88 mm.

MR16x1
Sand white trim

IP 44

Fixed
Frosted glass cover



DOWNLIGHT



FOGG-WH

500.-

DIA 85 mm. H 45 mm.



MR16x1/ GU10/ LED Module



Matt white trim



Fixed
Frosted glass cover



FOGG-BK

500.-

DIA 85 mm. H 45 mm.




MR16x1/ GU10/ LED Module

IP 44



Fixed
Frosted glass cover



DOWNLIGHT



LUCENT

600.-

DIA 85 mm. H 45 mm.



MR16x1/ GU10/ LED Module
Matt white/ Matt black trim

IP 65



Fixed
Clear glass cover

MIST-R

450.-

DIA 85 mm. H 50 mm.



MR16x1/ GU10/ LED Module
Sand white/ Sand black trim

IP 44




Fixed
Frosted glass cover



DOWNLIGHT

TRIM-S1 MR16

800.-



DIA 108x108 mm. H 87.5 mm.

MR16x1/ LED Module
Sand white/ Sand black trim
Sand black ring

Fully adjustable
Accessories : Honeycomb, Frosted glass
Clear glass.


TRIM-S2 MR16

1450.-

DIA 108x200 mm. H 87.5 mm.

MR16x2/ LED Module
Sand white/ Sand black trim
Sand black ring

Fully adjustable
Accessories : Honeycomb, Frosted glass
Clear glass.




TRIM-S3 MR16

1950.-

DIA 108x288 mm. H 87.5 mm.

MR16x3/ LED Module
Sand white/ Sand black trim
Sand black ring

Fully adjustable
Accessories : Honeycomb, Frosted glass
Clear glass.



DOWNLIGHT



TRIMLESS-S1


950.-

DIA 95x95 mm. H 85 mm.

MR16x1/ LED Module
Sand white/ Sand black

IP 20

- Trimless style
- Fully adjustable
- Accessories : Honeycomb, Frosted glass, Clear glass



TRIMLESS-S2


1650.-

DIA 95x185 mm. H 85 mm.

MR16x2/ LED Module
Sand white/ Sand black

IP 20

- Trimless style
- Fully adjustable
- Accessories : Honeycomb, Frosted glass, Clear glass



TRIMLESS-S3


2250.-

DIA 95x275 mm. H 85 mm.

MR16x3/ LED Module
Sand white/ Sand black trim

IP 20


- Trimless style
- Fully adjustable
- Accessories : Honeycomb, Frosted glass, Clear glass



DOWNLIGHT



113



85

RIM-A

900.-

DIA 85 mm. H 113 mm.

MR16x1
Matt white trim

IP 20

Fixed
Shiny reflector

RIM-B

900.-

DIA 85 mm. H 113 mm.


MR16x1
Matt white trim

IP 20

Fixed
Matt black reflector



113



85

RIM-C

900.-

DIA 85 mm. H 113 mm.


MR16x1/
Matt white trim

IP 20

Fixed
Matt white reflector



113



85



DEPT-R


600.-

DIA 90 mm. H 85 mm.

MR16x1/ GU10/ LED Module
Sand white trim

IP 20

- Fully adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass



DEPT-S


600.-

DIA 90x90 mm. H 85 mm.

MR16x1/ GU10/ LED Module
Sand white trim

IP 20

- Fully adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass



DOWNLIGHT




AXE-S1

700.-

DIA 125x125 mm. H 150 mm.

 MR16x1
Sand white/ Sand black trim

IP 20

 Adjustable


AXE-S2

1350.-

DIA 125x220 mm. H 150 mm.

 MR16x2
Sand white/ Sand black trim

IP 20

 Adjustable





DOWNLIGHT




TOMI-A


600.-

DIA 88 mm. H 110 mm.

 MR16x1
 Sand white trim

IP 20



 Adjustable
Matt white reflector




TOMI-B


600.-

DIA 88 mm. H 110 mm.

 MR16x1
 Sand white trim

IP 20

 Adjustable
Matt silver reflector



DOWNLIGHT



TOMI-C


600.-

DIA 88 mm. H 110 mm.

MR16x1
Sand white trim

IP 44

Adjustable
Frosted glass cover



TOMI-D


600.-

DIA 88 mm. H 110 mm.

MR16x1
Sand white trim

IP 20

Adjustable
Matt black reflector



DOWNLIGHT



WINK-A


600.-

DIA 107 mm. H 103 mm.

MR16x1
Matt white trim

IP 20

Adjustable
Shiny reflector



WINK-B


600.-


DIA 107 mm. H 103 mm.

MR16x1
Matt white trim


IP 20

Fixed
Shiny reflector



**DENN****500.-**

DIA 90 mm. H 59 mm.


 MR16x1/ GU10/ LED Module
 Sand white/ Sand black trim

IP 20

- Adjustable
- Accessories : Honeycomb, Frosted glass
Clear glass


PULLER**1000.-**

DIA 100 mm. H 100 mm.

 GU10x1
 Sand white/ Sand black

IP 20

- Fully adjustable







VICTOR


600.-

DIA 153 mm. H 57 mm.

 AR111x1
 Matt white trim

IP 20



 Fixed



FOCAL

500.-

DIA 68 mm. H 55 mm.

 MR16x1/ GU10/ LED Module
 Sand white/ Sand black trim

IP 20

 Fixed



DOWNLIGHT



TRIM-XR

950.-

DIA 170 mm. H 70 mm.

AR111x1
Sand white trim

IP 20

Adjustable

TRIM-L1

1000.-

DIA 173x173 mm. H 115 mm.

AR111x1
Matt white trim

IP 20

Fully adjustable



TRIM-L2

1850.-

DIA 173x320 mm. H 115 mm.

AR111x2
Matt white trim

IP 20

Fully adjustable



DOWNLIGHT



SNOW-R

750.-

DIA 180 mm. H 28 mm.

AR111x1
Sand white trim

IP 20

Adjustable

SNOW-S1

750.-

DIA 180x180 mm. H 28 mm.

AR111x1
Sand white trim

IP 20

Adjustable



SNOW-S2

1500.-

DIA 180x356 mm. H 28 mm.

AR111x2
Sand white trim

IP 20

Adjustable



SNOOT-R

600.-

DIA 175 mm. H 120-150 mm.

PAR30S/ PAR30Lx1
Matt white trim

IP 20

Fully adjustable

LUXX-PAR30

650.-

DIA 135 mm. H 140-180 mm.

PAR30S/ PAR30Lx1
Sand white/ Sand black trim

IP 20

Fixed



HEX-PAR30

650.-

DIA 125x125 mm. H 140-180 mm.

PAR30S/ PAR30Lx1
Sand white/ Sand black trim

IP 20

Fixed



DOWNLIGHT



SAKURA-R

1000.-

DIA 170 mm. H 53 mm.

AR111x1
Sand white trim

IP 20

Fully adjustable

SAKURA-S1

1000.-

DIA 170x170 mm. H 53 mm.

AR111x1
Sand white trim

IP 20

Fully adjustable



SAKURA-S2

2000.-

DIA 170x325 mm. H 50 mm.

AR111x2
Sand white trim

IP 20

Fully adjustable


DOWNLIGHT




SNOOT-PR1

1000.-

DIA 180x180 mm. H 200 mm.

 PAR30S/ PAR30Lx1
Sand white trim


IP 20

 Adjustable


SNOOT-PR2

2000.-

DIA 180x347 mm. H 200 mm.

 PAR30S/ PAR30Lx2
Sand white trim

IP 20

 Adjustable




DOWNLIGHT



HEX-S2-WH PAR30

100.-

DIA 125×225 mm. H 140-180 mm.

 PAR30S/ PAR30Lx1
Sand white


IP 20

 Fixed

HEX-S2-BK PAR30

100.-

DIA 125×225 mm. H 140-180 mm.

 PAR30S/ PAR30Lx1
Sand black trim

IP 20

 Fixed





DOWNLIGHT



COLIN-R

400.-

DIA 108 mm. H 30 mm.

 GX53
 Matt white trim

IP 20



 Fixed
PC Body




COLIN-S

400.-

DIA 83 mm. H 24 mm.

 GX53
 Matt white trim

IP 20


 Fixed
PC Body





DOWNLIGHT

**CLEAR GLASS****120.-**


DIA 49 mm. H 3 mm.

 Clear glass
For MR16 lamp**FROSTED GLASS****120.-**

DIA 49 mm. H 3 mm.

 Frosted glass
For MR16 lamp**HONEYCOMB****120.-**

DIA 50 mm. H 3 mm.

 Aluminium material
For MR16 lamp

LED MR16 7W

400.-

2700K, 3000K, 4000K, 6000K



EPISTAR CHIP LED 7W 560lm

15° 60°

- Aluminium Body
- Non-Dim
- Dimmable (Optional)



LED GU10 7W

400.-

2700K, 3000K, 4000K, 6000K



EPISTAR CHIP LED 7W 560lm

15° 24° 60°

- Aluminium Body
- Non-Dim
- Dimmable (Optional)



MR11 MODULE 6W

800.-



2700K, 3000K, 4000K



CREE CHIP LED 6W 480lm

15° 24° 36°



Aluminium Body

LED Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

MR11 MODULE 10W

1000.-

2700K, 3000K, 4000K



CREE CHIP LED 10W 770lm

15° 24° 36°



Aluminium Body

LED Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



MR11 MODULE 15W

1500.-

2700K, 3000K, 4000K



CREE CHIP LED 15W 1350lm

12° 24° 36°



Aluminium Body

LED Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



LED LAMP



MR16 MODULE 10W 1000.-

2700K, 3000K, 4000K, 6000K

 **CREE CHIP LED 10W 800lm**
15° 24° 36° 60°

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

MR16 MODULE 15W 1500.-

2700K, 3000K, 4000K, 6000K

 **CREE CHIP LED 15W 1200lm**
15° 24° 36° 60°

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



MR16 MODULE 20W 2000.-

3000K, 4000K, 6000K

 **CREE CHIP LED 20W 1600lm**
12° 24° 36°

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED LAMP

AR111 MODULE 15W 1500.-

3000K, 4000K, 6000K.



CREE CHIP LED 15W 1200lm



- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

AR111 MODULE 30W 2250.-

3000K, 4000K, 6000K



CREE CHIP LED 30W 2700lm



- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED LAMP



MR16 MODULE 8W CCT 1500.-

2700K to 6500K



LED CHIP LED 24Vdc 8W

38°



Aluminium Body

Dimmable

Use with LED controller

Use with 24Vdc power supply

NEW

MR16 MODULE 8W RGBW 1500.-

RGB+2700K



LED CHIP LED 24Vdc 8W

38°



Aluminium Body

Dimmable

Use with LED controller

Use with 24Vdc power supply

NEW



LED PAR30L 15W

700.-

3000K, 4000K, 6000K



SMD CHIP LED 15W 1350lm

25°



Non-Dim



LED PAR30L 30W

1000.-

3000K, 4000K, 6000K



SMD CHIP LED 30W 2700lm

25°



Non-Dim



DOWNLIGHT

The background of the image is a 5x4 grid of colored squares. The colors transition from a pale yellow in the top-left corner to a bright red in the bottom-right corner, following a diagonal gradient. The text 'LED DOWNLIGHT' is centered horizontally and vertically within the grid.

LED DOWNLIGHT



MINI 3W

750.-

DIA 52 mm. H 25 mm.



CREE CHIP LED 3W 260lm



3000K, 4000K, 6000K

Matt white/ Matt black/ Silver



Adjustable
Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20

MINI-D 3W

1000.-

DIA 52 mm. H 35 mm.



LED COB 3W 260lm



3000K, 4000K

Sand white/ Sand black trim




Adjustable
Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20





RIZ 3W

750.-

DIA 40 mm. H 50 mm.



CREE CHIP LED 3W 260lm

3000K, 4000K

Matt white, Matt black trim

15° 30°



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20

FOCUS 3W

850.-

DIA 48 mm. H 37 mm.



CREE CHIP LED 3W 260lm

3000K, 6000K

Matt white, Matt black trim

24°



Fully adjustable

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20



LED DOWNLIGHT

**DOSS 1.5W****600.-**

DIA 35 mm. H 22 mm.

**LED COB 1.5W 140lm**

3000K, 4000K

Matt white, Matt black trim



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20**BAM 3W****600.-**

DIA 42 mm. H 33 mm.

**LED COB 3W 260lm**

3000K, 4000K

Sand white/ Sand black trim



Adjustable

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

IP 20



JOOX-A 3W

750.-

DIA 50 mm. H 30 mm.



CREE CHIP LED 3W 265lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

JOOX-B 3W

750.-

DIA 40 mm. H 28 mm.



CREE CHIP LED 3W 265lm



3000K, 4000K
Matt white trim

IP 20

- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





CONIX 5W

750.-

DIA 50 mm. H 50 mm.



CREE CHIP LED 5W 405lm



3000K, 4000K

Matt white/ Matt black trim

IP 20



Adjustable

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

BETA 6W

1000.-

DIA 58 mm. H 60 mm.



CREE CHIP LED 6W 495lm



3000K, 4000K

Matt white trim

IP 20



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional





AURA-S 8W

1200.-

DIA 72 mm. H 76 mm.



LED COB 8W 685lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Dark mirror reflector
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

AURA-M 15W

1650.-

DIA 88 mm. H 88 mm.



LED COB 15W 1312lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Dark mirror reflector
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





NEWTON-S 9W

950.-

DIA 85 mm. H 53 mm.



LED COB 9W 810lm

3000K, 4000K
Matt white trim

IP 20



Fully adjustable
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

NEWTON-M 18W

1750.-

DIA 110 mm. H 75 mm.



LED COB 18W 1600lm

3000K, 4000K, 6500K
Matt white trim

IP 20



Fully adjustable
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional



NEWTON-L 30W

3150.-

DIA 150 mm. H 100 mm.



LED COB 30W 2700lm


3000K, 4000K, 6500K
Matt white trim

IP 20



Fully adjustable
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

LED DOWNLIGHT



PITT-S 12W **1500.-**

DIA 85 mm. H 73 mm.



LED COB 12W 1026lm
3000K, 4000K
Matt white trim



- Fixed
- Wall washer downlight
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

PITT-M 20W **2000.-**


DIA 105 mm. H 97 mm.



LED COB 20W 1710lm
3000K, 4000K
Matt white trim



- Fixed
- Wall washer downlight
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



BETAGA-M

1350.-

DIA 45x147 mm. H 49 mm.



LED COB 5x2W 890lm
3000K, 4000K
Matt white trim



- Fixed
- Recessed type
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

BETAGA-L

2500.-

DIA 45x280 mm. H 49 mm.



LED COB 10x2W 1780lm
3000K, 4000K
Matt white trim



- Fixed
- Recessed type
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



BETAGA-XL

3600.-

DIA 45x415 mm. H 49 mm.



LED COB 15x2W 2670lm
3000K, 4000K
Matt white trim



- Fixed
- Recessed type
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

LED DOWNLIGHT



TESLA-RL 24W

1200.-

DIA 170 mm. H 50 mm.



LED SMD 24W 2400lm

120° 3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

TESLA-SL 24W

1200.-

DIA 165x165 mm. H 50 mm.



LED SMD 24W 2400lm

120° 3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





TESLA-RM 18W

1000.-

DIA 150 mm. H 50 mm.



LED SMD 18W 1710lm

120° 3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

TESLA-SM 18W

1000.-

DIA 145x145 mm. H 50 mm.



LED SMD 18W 1710lm

120° 3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





POTTER-S 9W

800.-

DIA 115 mm. H 80 mm.



LED SMD 9W 582lm



3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

POTTER-M 15W

1200.-

DIA 140 mm. H 85 mm.



LED SMD 15W 955lm



3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



POTTER-L 21W

1500.-

DIA 165 mm. H 100 mm.



LED SMD 21W 1440lm



3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

LED DOWNLIGHT



PANA-S 12W

800.-

DIA 90 mm. H 56 mm.



LED SMD 12W 720lm

3000K, 4000K
60°
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

PANA-M 20W

1500.-

DIA 130 mm. H 72 mm.



LED SMD 20W 1700lm

3000K, 4000K
60°
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



PANA-L 30W

1800.-

DIA 160 mm. H 82 mm.



LED SMD 30W 2550lm

3000K, 4000K
60°
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

LED DOWNLIGHT



EMIT-RM 15W

1500.-

DIA 115 mm. H 120 mm.



CREE CHIP LED 15W 1310lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

EMIT-S1 15W

1500.-

DIA 115x115 mm. H 120 mm.



CREE CHIP LED 15W 1310lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



EMIT-S2 2x15W

3000.-

DIA 115x210 mm. H 120 mm.



CREE CHIP LED 2x15W 2610lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



MATT-M 15W

2000.-

DIA 159x159 mm. H 65 mm.



LED SMD 15W 1170lm

120° 3000K,
Matt white trim

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

MATT-L 25W

3350.-

DIA 195x195 mm. H 75 mm.



LED SMD 25W 1950lm

120° 3000K, 4000K
Matt white trim

IP 20

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





TRIM-S1 LED 10W

1800.-

DIA 108x108 mm. H 87.5 mm.



CREE CHIP LED 10W 830lm



3000K, 4000K, 6000K
Sand white trim



Adjustable
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

IP 20

TRIM-S2 LED 2x10W

3500.-

DIA 108x200 mm. H 87.5 mm.



CREE CHIP LED 2x10W 1660lm



3000K, 4000K, 6000K
Sand white trim



Adjustable
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

IP 20



LED DOWNLIGHT



TRIM-M1 LED 18W

3000.-

DIA 135x135 mm. H 110 mm.



CREE CHIP LED 18W 1312lm



3000K, 4000K
Sand white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

TRIM-M2 LED 2x18W

5000.-

DIA 135x267 mm. H 110 mm.



CREE CHIP LED 2x18W 2691lm



3000K, 4000K
Sand white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



MARA-RM 12W

2000.-

DIA 115 mm. H 115 mm.




CREE CHIP LED 12W 920lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



MARA-RL 18W

3000.-

DIA 153 mm. H 150 mm.




CREE CHIP LED 18W 1403lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





MARA-SM 12W

2000.-

DIA 114x114 mm. H 114 mm.




CREE CHIP LED 12W 920lm



3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



MARA-SL 18W

3000.-

DIA 154.5x154.5 mm. H 150 mm.




CREE CHIP LED 18W 1403lm




3000K, 4000K
Matt white trim

IP 20

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





LUCAS-RS 7W

1200.-

DIA 82 mm. H 92 mm.



CREE CHIP LED 7W 577lm



3000K, 4000K
Matt white trim

IP 20



Fixed
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

LUCAS-RM 12W

1650.-

DIA 108 mm. H 130 mm.



CREE CHIP LED 12W 920lm




3000K, 4000K
Matt white trim

IP 20



Fixed
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional



LUCAS-RL 18W

2500.-

DIA 133 mm. H 160 mm.



CREE CHIP LED 18W 1393lm




3000K, 4000K
Matt white trim

IP 20



Fixed
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional





LUCAS-SS 7W

1200.-

DIA 90x90 mm. H 94.5 mm.




CREE CHIP LED 7W 577lm



3000K, 4000K
Matt white trim

IP 20



- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

LUCAS-SM 12W

1650.-

DIA 115x115 mm. H 115 mm.



CREE CHIP LED 12W 920lm




3000K, 4000K
Matt white trim

IP 20



- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LUCAS-SL 18W

2500.-

DIA 140x140 mm. H 152 mm.




CREE CHIP LED 18W 1430lm



3000K, 4000K
Matt white trim

IP 20



- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LUZE-M 15W

2000.-

DIA 110 mm. H 100 mm.



PHILIPS CHIP LED 15W 1219lm



3000K, 4000K
Matt white trim



Fixed
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

IP 20

LUZE-L 20W

2500.-

DIA 140 mm. H 147 mm.



PHILIPS CHIP LED 20W 1626lm



3000K, 4000K
Matt white trim



Fixed
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

IP 20





NEPTA-S 10W

1000.-

DIA 92 mm. H 75 mm.



LED COB 10W 855lm
3000K, 4000K
Matt white trim

IP 20



Fully adjustable
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional

NEPTA-M 20W

1500.-

DIA 135 mm. H 115 mm.



LED COB 20W 1710lm
3000K, 4000K
Matt white trim

IP 20



Fully adjustable
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional



NEPTA-L 30W

2000.-

DIA 135 mm. H 115 mm.



LED COB 30W 2400lm
3000K, 4000K
Matt white trim

IP 20



Fully adjustable
Aluminium Body
Driver included
Non-Dim
Dimmable (0-10V/ Triac) Optional





WALLY-S 12W

1500.-

DIA 108 mm. H 100 mm.



LED COB 12W 1026lm

3000K, 4000K

Matt white trim

IP 20



Fixed

Wall washer downlight

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

WALLY-M 20W

2000.-

DIA 108 mm. H 100 mm.



LED COB 20W 1710lm

3000K, 4000K

Matt white trim

IP 20



Fixed

Wall washer downlight

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional





NANO-R 10W

2150.-

DIA 90 mm. H 77 mm.



CREE CHIP LED 10W 843lm



3000K, 4000K
Matt white trim

IP 65

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

NANO-S 10W

2150.-

DIA 90x90 mm. H 77 mm.



CREE CHIP LED 10W 843lm



3000K, 4000K
Matt white trim

IP 65

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



TITAN 10W

2150.-

DIA 90 mm. H 92 mm.



LED COB 10W 755lm



3000K, 4000K
Matt white/ Matt black trim

IP 65

- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

LED DOWNLIGHT



JAZZ

800.-

DIA 70 mm. H 55 mm.



LED COB 7W 550lm

3000K, 4000K
Matt white/ matt black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim

MOON

1000.-

DIA 140 mm. H 75 mm.



LED SMD 15W 1312lm

3000K, 4000K
Matt white/ matt black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



LED DOWNLIGHT

NORI

1500.-

DIA 85 mm. H 70 mm.



LED COB 10W 890lm

3000K, 4000K

Matt white/ matt black

IP 20



Adjustable

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



REEL

2400.-

DIA 115 mm. H 135 mm.



LED COB 20W 1890lm

3000K, 4000K

Matt white/ matt black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



LED DOWNLIGHT



BENITO-M

1500.-

DIA 33x60 mm. L 270 mm.



LED SMD 10W 890lm

3000K, 4000K

Matt white/ matt black

IP 20




Fixed

Aluminium Body

Driver included

Non-Dim



BENITO-L

2500.-

DIA 33x60 mm. L 535 mm.



LED SMD 20W 1780lm

3000K, 4000K

Matt white/ matt black

IP 20




Fixed

Aluminium Body

Driver included

Non-Dim



LED DOWNLIGHT



BETINI-M

1500.-

DIA 33x60 mm. L 270 mm.



LED COB 10x1W 890lm

3000K, 4000K

Matt white/ matt black

IP 20



Fixed

Aluminium Body

Driver included

Non-Dim



BETINI-L

2500.-

DIA 33x60 mm. L 535 mm.



LED COB 20x1W 1780lm

3000K, 4000K

Matt white/ matt black

IP 20



Fixed


Aluminium Body

Driver included

Non-Dim



LED DOWNLIGHT



KATO-S

2000.-

DIA 33x138 mm. H 95 mm.



LED COB 5x2W 800lm

3000K, 4000K

Matt black/ Matt white

IP 20

- Surface mounted type
- Adjustable 2 sides
- Aluminium Body
- Driver included
- Non-Dim

KATO-M

3000.-

DIA 33x270 mm. H 95 mm.



LED COB 10x2W 1600lm

3000K, 4000K

Matt black/ Matt white

IP 20

- Surface mounted type
- Adjustable 2 sides
- Aluminium Body
- Driver included
- Non-Dim



LED DOWNLIGHT



BEBETO-M

2500.-

DIA 50x273 mm. H 42 mm.



LED SMD 10W 890lm

3000K, 4000K
Matt black

IP 20



Fixed

Recessed type

Trimless design

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

BEBETO-L

3500.-

DIA 50x540 mm. H 42 mm.



LED SMD 20W 1780lm

3000K, 4000K
Matt black

IP 20



Fixed

Trimless design

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



BELINA-M

2500.-

DIA 50x273 mm. H 42 mm.



LED COB 10W 890lm



3000K, 4000K
Matt black

IP 20



Fixed

Recessed type

Trimless design

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

BELINA-L

3500.-

DIA 50x540 mm. H 42 mm.



LED COB 20W 1780lm



3000K, 4000K
Matt black

IP 20



Fixed

Recessed type

Trimless design

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



BELETTA-M

2500.-

DIA 42x278 mm. H 50 mm.



LED SMD 10W 890lm

3000K, 4000K
Matt white trim

IP 20



Fixed

Recessed type
Aluminium Body
Driver included
Non-Dim

Dimmable (0-10V/ Triac) Optional

BELETTA-L

3500.-

DIA 42x545 mm. H 50 mm.



LED SMD 20W 1780lm

3000K, 4000K
Matt white trim

IP 20



Fixed

Recessed type
Aluminium Body
Driver included
Non-Dim

Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



DOWNLIGHT E27




HEX-SWW

550.-

DIA 125x125 mm. H 170 mm.

 E27x1
 Sand white trim/ White inside

IP 20

 Fixed
Matt silver reflector


HEX-SWB

600.-

DIA 125x125 mm. H 170 mm.

 E27x1
 Sand white trim/ Black inside

IP 20



 Fixed
Matt silver reflector




HEX-SBB

550.-

DIA 125x125 mm. H 170 mm.

 E27x1
 Sand black trim/ Black inside

IP 20

 Fixed
Matt silver reflector





HEX-SWW2

1150.-

DIA 125x255 mm. H 170 mm.



E27x2



Sand white trim/ White inside

IP 20



Adjustable

Matt silver reflector

HEX-SBB2

1150.-

DIA 125x255 mm. H 170 mm.



E27x2



Sand black trim/ Black inside

IP 20



Adjustable

Matt silver reflector



DOWNLIGHT E27



HEX-MWW

650.-

DIA 145x145 mm. H 225 mm.

 E27x1
 Sand white trim/ White inside

IP 20

 Fixed
Matt silver reflector


HEX-MWB

700.-

DIA 145x145 mm. H 225 mm.

 E27x1
 Sand white trim/ Black inside

IP 20



 Fixed
Matt silver reflector




HEX-MBB

650.-

DIA 145x145 mm. H 225 mm.

 E27x1
 Sand black trim/ Black inside

IP 20

 Fixed
Matt silver reflector





HEX-MWW2

1350.-

DIA 145x285 mm. H 225 mm.



E27x2



Sand white trim/ White inside

IP 20



Fixed

Matt silver reflector

HEX-MBB2

1350.-

DIA 145x285 mm. H 225 mm.



E27x2



Sand black trim/ Black inside

IP 20



Fixed

Matt silver reflector






LUXX-SWW

550.-

DIA 135 mm. H 170 mm.

 E27x1
 Sand white trim/ White inside

IP 20

 Fixed
Matt silver reflector

LUXX-SWB

600.-

DIA 135 mm. H 170 mm.

 E27x1
 Sand white trim/ Black inside

IP 20



 Fixed
Matt silver reflector




LUXX-SBB

550.-

DIA 135 mm. H 170 mm.

 E27x1
 Sand black trim/ Black inside

IP 20

 Fixed
Matt silver reflector



DOWNLIGHT E27



LUXX-MWW

650.-

DIA 155 mm. H 220 mm.

E27x1
Sand white trim/ White inside

IP 20

Fixed
Matt silver reflector

LUXX-MWB

700.-

DIA 155 mm. H 220 mm.

E27x1
Sand white trim/ Black inside

IP 20

Fixed
Matt silver reflector



LUXX-MBB

650.-

DIA 155 mm. H 220 mm.

E27x1
Sand black trim/ Black inside

IP 20

Fixed
Matt silver reflector





SNOOT-E1

700.-

DIA 130x130 mm. H 150 mm.



E27x1



Sand white trim/ Black ring

IP 20



Adjustable

Matt silver reflector

SNOOT-E2

1300.-

DIA 130x250 mm. H 150 mm.



E27x2



Sand white trim/ Black ring

IP 20



Adjustable

Matt silver reflector



DOWNLIGHT E27



SNOOT-S1

800.-

DIA 145x145 mm. H 150 mm.



E27x1



Sand white trim/ Black ring

IP 20



Fully adjustable

Matt silver reflector

SNOOT-S2

1500.-

DIA 145x275 mm. H 150m mm.



E27x2



Sand white trim/ Black ring

IP 20



Fully adjustable

Matt silver reflector



DOWNLIGHT E27



SNOOT-L1

1000.-

DIA 170x170 mm. H 200 mm.



E27x1



Sand white trim/ Black ring

IP 20



Fully adjustable

Matt silver reflector

SNOOT-L2

1950.-

DIA 170x325 mm. H 200m mm.



E27x2



Sand white trim/ Black ring

IP 20



Fully adjustable

Matt silver reflector








TEDD-R

450.-

DIA 137 mm. H 160-190 mm.

 E27x1
 Matt white trim



IP 20

 Fixed
Matt white reflector


TEDD-S

600.-

DIA 133x133 mm. H 165-195 mm.

 E27x1
 Matt white trim

IP 20

 Fixed
Matt white reflector





DOWNLIGHT E27



COSMO-S

450.-

DIA 103 mm. H 145 mm.

 E27x1
 Sand white trim



IP 20

 Fixed
Matt silver reflector


COSMO-M

550.-

DIA 140 mm. H 155 mm.

 E27x1
 Sand white trim

IP 20



 Fixed
Matt silver reflector




COSMO-L

650.-

DIA 170 mm. H 180 mm.

 E27x1
 Sand white trim

IP 20



 Fixed
Matt silver reflector




DUFF-S1

400.-

DIA 128x128 mm. H 162 mm.

 E27x1
 Sand white trim



IP 20

 Fixed
Shiny silver reflector


DUFF-S2

700.-

DIA 128x237 mm. H 162 mm.

 E27x2
 Sand white trim

IP 20

 Fixed
Shiny silver reflector





DOME-MG

700.-

DIA 150 mm. H 190 mm.



E27x1
Sand white trim

IP 44

- Fixed
Matt silver reflector
Frosted glass cover

DOME-LG

800.-

DIA 175 mm. H 220 mm.



E27x1
Sand white trim

IP 44

- Fixed
Matt silver reflector
Frosted glass cover





DOWNLIGHT E27




VELL-S

700.-

DIA 125x125 mm. H 175 mm.

 E27x1
 Sand white trim



IP 44

 Fixed
Frosted glass cover

VELL-M

950.-

DIA 160x160 mm. H 175 mm.

 E27x1
 Sand white trim

IP 44

 Fixed
Frosted glass cover





DOWNLIGHT E27




DOME-M

150.-

DIA 146 mm. H 140 mm.

 E27x1
 Sand white trim



IP 20

 Fixed
Shiny silver reflector


DOME-L

200.-

DIA 177 mm. H 150 mm.

 E27x1
 Sand white trim

IP 20

 Fixed
Shiny silver reflector



DOWNLIGHT E27

The background consists of a 4x4 grid of 16 squares. The colors transition from a pale yellow in the top-left corner to a bright red in the bottom-right corner, following a diagonal gradient. The text is centered horizontally and vertically within the grid.


**OUTDOOR
DOWNLIGHT**




JADEN-R

1500.-

DIA 90 mm. H 120 mm.

 GU10x1 Max.50W
Sand black


IP 54

 Fixed
Aluminium Body
Clear glass cover


JADEN-S

1500.-

DIA 90x90 mm. H 125 mm.

 GU10x1 Max.50W
Sand black

IP 54

 Fixed
Aluminium Body
Clear glass cover




DOWNLIGHT

LINDA-R


1500.-

DIA 90 mm. H 95 mm.



 GU10x1 Max.50W
Sand black/ Sand white


IP 65

 Fixed
Aluminium Body
Frosted glass cover


LINDA-S

1500.-

DIA 90x90 mm. H 95 mm.

 GU10x1 Max.50W
Sand black/ Sand white

IP 65

 Fixed
Aluminium Body
Frosted glass cover




DOWNLIGHT




HUGO-R

1800.-

DIA 110 mm. H 160 mm.

 E27x1 Max. 60W
Sand black


IP 54

 Fixed
Aluminium Body
Clear glass cover


HUGO-S

1800.-

DIA 110x110 mm. H 160 mm.

 E27x1 Max. 60W
Sand black

IP 54

 Fixed
Aluminium Body
Clear glass cover



DOWNLIGHT



TITAN

2150.-

DIA 90 mm. H 92 mm.



LED COB 10W 755lm



3000K, 4000K

Matt white/ Matt black/

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

LUCENT

600.-

DIA 85 mm. H 45 mm.



MR16x1/ GU10/ LED Module

Matt white/ Matt black trim

IP 65



Fixed

Aluminium Body

Clear glass cover



HOWELL

1000.-

DIA 100 mm. H 65 mm.



GX53 Max. 50W

Sand black

IP 54



Fixed

Aluminium Body

Frosted glass cover



DOWNLIGHT



NANO-R

2150.-

DIA 90 mm. H 77 mm.



LED COB 10W 843lm
3000K, 4000K
Matt white trim



IP 65

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

NANO-S

2150.-

DIA 90x90 mm. H 77 mm.



LED COB 10W 843lm
3000K, 4000K
Matt white trim



IP 65

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



DOWNLIGHT

The background consists of a 4x4 grid of 16 squares. The colors transition from light yellow in the top-left corner to bright red in the bottom-right corner, following a diagonal gradient. The text is centered in the middle of the grid.

***SURFACE MOUNTED
DOWNLIGHT***



MODE-RS

600.-

DIA 80 mm. H 95 mm.



GU10x1
Sand white/ Sand black

IP 20



Fixed
Accessories : Sling Hanging Wire Kit

MODE-SS

600.-

DIA 82.5x82.5 mm. H 95 mm.



GU10x1
Sand white/ Sand black

IP 20



Fixed
Accessories : Sling Hanging Wire Kit




DOWNLIGHT




CORE-R

900.-

DIA 96 mm. H 125 mm.

 GU10x1
Sand white/ Sand black


IP 20

-  Adjustable
- Accessories : Frosted glass
Clear glass, Honeycomb


CORE-S

900.-

DIA 96x96 mm. H 125 mm.

 GU10x1
Sand white/ Sand black

IP 20

-  Adjustable
- Accessories : Frosted glass
Clear glass, Honeycomb




DOWNLIGHT




SOREN-S1

1000.-

DIA 100x100 mm. H 100 mm.

 GU10x1
Sand white/ Sand black


IP 20

-  Adjustable
- Accessories : Frosted glass
- Clear glass, Honeycomb


SOREN-S2

2000.-

DIA 100x195 mm. H 100 mm.


 GU10x2
Sand white/ Sand black

IP 20

-  Adjustable
- Accessories : Frosted glass
- Clear glass, Honeycomb




DOWNLIGHT



HONE-1

1200.-

DIA 90x104 mm. H 110 mm.

 GU10x1
Sand white/ Sand black


IP 20

 Fixed

HONE-2



2000.-

DIA 180x104 mm. H 110 mm.

 GU10x2
Sand white/ Sand black

IP 20

 Fixed




DOWNLIGHT




CASE-S1 MR16

700.-

DIA 100x100 mm. H 115 mm.

 MR16x1
Matt white/ Matt black


IP 20

 Adjustable
Pull-out head
Accessories : Sling Hanging Wire Kit


CASE-S2 MR16

1250.-

DIA 100x200 mm. H 115 mm.

 MR16x2
Matt white/ Matt black

IP 20

 Adjustable
Pull-out head
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



CASE-L1 AR111

1000.-

DIA 145×145 mm. H 160 mm.



AR111x1
Sand white/ Sand black

IP 20



Adjustable
Pull-out head
Accessories : Sling Hanging Wire Kit

CASE-L2 AR111

1850.-

DIA 145×278 mm. H 160 mm.



AR111x2
Sand white/ Sand black

IP 20



Adjustable
Pull-out head
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



CASE-S1 E27

800.-

DIA 120×120 mm. H 180 mm.



E27x1
Sand white/ Sand black

IP 20



Adjustable
Accessories : Sling Hanging Wire Kit

CASE-S2 E27

1500.-

DIA 120×260 mm. H 180 mm.



E27x2
Sand white/ Sand black

IP 20



Adjustable
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



CASE-L1 E27

1000.-

DIA 120×120 mm. H 180 mm.



E27x1
Sand white/ Sand black

IP 20



Adjustable
Accessories : Sling Hanging Wire Kit

CASE-L2 E27

1850.-

DIA 120×260 mm. H 180 mm.



E27x2
Sand white/ Sand black

IP 20



Adjustable
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



CASE-PR1 PAR30

1200.-

DIA 155×155 mm. H 200 mm.



PAR30S/ PAR30Lx1
Sand white/ Sand black

IP 20



Adjustable
Accessories : Sling Hanging Wire Kit

CASE-PR2 PAR30

2000.-

DIA 155×320 mm. H 200 mm.



PAR30S/ PAR30Lx2
Sand white/ Sand black

IP 20



Adjustable
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



MODE-RM

750.-

DIA 96 mm. H 127 mm.



PAR20x1
Sand white/ Sand black

IP 20



Fixed
Accessories : Sling Hanging Wire Kit

MODE-SM

750.-

DIA 100x100 mm. H 130 mm.



PAR20x1
Sand white/ Sand black

IP 20



Fixed
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



MODE-RL

850.-

DIA 115 mm. H 137 mm.



PAR30Sx1
Sand white/ Sand black

IP 20



Fixed
Accessories : Sling Hanging Wire Kit

MODE-SL

850.-

DIA 120x120 mm. H 137 mm.



PAR30Sx1
Sand white/ Sand black

IP 20



Fixed
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



MODE-RXL

1150.-

DIA 145 mm. H 175 mm.



PAR30L/ PAR38x1
Sand white/ Sand black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

MODE-SXL

1150.-

DIA 145x145 mm. H 175 mm.



PAR30L/ PAR38x1
Sand white/ Sand black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit



DOWNLIGHT



NORI

1500.-

DIA 85 mm. H 70 mm.



LED COB 10W 890lm



3000K, 4000K

Matt white/ matt black

IP 20



Adjustable

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim

REEL

2400.-

DIA 115 mm. H 135 mm.



LED COB 20W 1890lm



3000K, 4000K

Matt white/ matt black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



DOWNLIGHT



BETINI-M

1500.-

DIA 33x60 mm. L 270 mm.



LED COB 10x1W 890lm



3000K, 4000K

Matt white/ matt black

IP 20

- Fixed
- Aluminium Body
- Driver included
- Non-Dim

BETINI-L

2500.-

DIA 33x60 mm. L 535 mm.



LED COB 20x1W 1780lm



3000K, 4000K

Matt white/ matt black

IP 20

- Fixed
- Aluminium Body
- Driver included
- Non-Dim



DOWNLIGHT



MARVEL-S1

1350.-

DIA 106x106 mm. H 100 mm.



LED COB 12W 890lm

3000K, 4000K

Matt white/ matt black

IP 20



Adjustable
Aluminium Body
Driver included
Non-Dim

MARVEL-S2

2500.-

DIA 106x203 mm. H 100 mm.



LED COB 2x12W 1980lm


3000K, 4000K

Matt white/ matt black

IP 20



Adjustable
Aluminium Body
Driver included
Non-Dim



DOWNLIGHT



JAZZ

800.-

DIA 70 mm. H 55 mm.



LED COB 7W 550lm

3000K, 4000K

Matt white/ matt black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim

MOON

1000.-

DIA 140 mm. H 75 mm.



LED SMD 15W 1312lm

3000K, 4000K

Matt white/ matt black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



DOWNLIGHT



BENITO-M

1500.-

DIA 33x60 mm. L 270 mm.




LED SMD 10W 890lm

3000K, 4000K
Matt white/ matt black

IP 20

- Fixed
- Aluminium Body
- Driver included
- Non-Dim



BENITO-L

2500.-

DIA 33x60 mm. L 535 mm.




LED SMD 20W 1780lm


3000K, 4000K
Matt white/ matt black

IP 20

- Fixed
- Aluminium Body
- Driver included
- Non-Dim



DOWNLIGHT



KATO-S

2000.-

DIA 33x138 mm. H 95 mm.



LED COB 5x2W 800lm

3000K, 4000K

Matt black/ Matt white

IP 20

- Surface mounted type
- Adjustable 2 sides
- Aluminium Body
- Driver included
- Non-Dim

KATO-M

3000.-

DIA 33x270 mm. H 95 mm.



LED COB 10x2W 1600lm

3000K, 4000K

Matt black/ Matt white

IP 20

- Surface mounted type
- Adjustable 2 sides
- Aluminium Body
- Driver included
- Non-Dim



DOWNLIGHT